	Type	Ref #	Hits	Search Text	DBs
1	BRS	S6	9	secure.clm. with mode.clm. with flag.clm.	US-PGPUB
2	BRS	S2	245	stephen.in. and fischer.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
3	BRS	S4	2	stephen.in. and fischer.in. and secure and mode and flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
4	BRS	S5	40	secure.clm. and mode.clm. and flag.clm.	US-PGPUB
5	BRS	S3	2	shamanna.in. and datta.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
6	BRS	S17	3	((secure or trusted) near2 processor near2 mode) and (register near2 invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
7	BRS	S11	3	(invalid near2 register) same secure	US-PGPUB
8	BRS	S16	1	((secure or trusted) near2 processor near2 mode) and (mark near2 invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
9	BRS	S18	28	((secure or trusted) near2 processor near2 mode) and (register near2 invalid$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
10	BRS	S10	36	(secure near2 mode near2 flag) and $2valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
11	BRS	S9	26	secure near2 mode near2 flag	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
12	BRS	S8	13	secure.clm. with mode.clm. with flag.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
13	BRS	S7	1	"20060075312"	US-PGPUB
14	BRS	S14	1	(secure near2 processor near2 mode) and (mark near2 invalid)	US-PGPUB
15	BRS	S12	93	secure near2 processor near2 mode	US-PGPUB
16	BRS	S13	2	(secure near2 processor near2 mode) and (register near2 invalid)	US-PGPUB
17	BRS	S15	1	(secure near2 processor near2 mode) and (mark near2 invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
18	BRS	S19	611	disable adj interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
19	BRS	S20	2646	disabl$3 adj interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
20	BRS	S22	65	audio with (debug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
21	BRS	S24	123263	audio with output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
22	BRS	S21	63	audio with (debug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
23	BRS	S23	22	audio with output with (debug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
24	BRS	S28	89	audio with output and interrupt and (secure near2 mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
25	BRS	S30	4	blind near2 programmer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
26	BRS	S32	26	blind near2 program$3 and audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
27	BRS	S26	1758	audio with output and interrupt and secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
28	BRS	S31	110	blind near2 program$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
29	BRS	S33	13	(visually near2 impaired) near2 program$3 and audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
30	BRS	S27	1409	audio with output and interrupt and secure and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
31	BRS	S29	0	blind near2 programmer and audio and output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
32	BRS	S25	11090	audio with output and interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
33	BRS	S52	93	secure near2 processor near2 mode	US-PGPUB
34	BRS	S66	13	(visually near2 impaired) near2 program$3 and audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
35	BRS	S48	26	secure near2 mode near2 flag	US-PGPUB
36	BRS	S64	1758	audio with output and interrupt and secure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
37	BRS	S37	359	712/229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
38	BRS	S65	110	blind near2 program$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
39	BRS	S51	1	(secure near2 processor near2 mode) and (mark near2 invalid)	US-PGPUB
40	BRS	S61	89	audio with output and interrupt and (secure near2 mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
41	BRS	S36	702	712/227.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
42	BRS	S67	1409	audio with output and interrupt and secure and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
43	BRS	S69	11090	audio with output and interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
44	BRS	S68	0	blind near2 programmer and audio and output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
45	BRS	S63	26	blind near2 program$3 and audio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
46	BRS	S53	2	(secure near2 processor near2 mode) and (register near2 invalid)	US-PGPUB
47	BRS	S60	22	audio with output with (debug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
48	BRS	S50	1	"20060075312"	US-PGPUB
49	BRS	S49	13	secure.clm. with mode.clm. with flag.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
50	BRS	S58	123263	audio with output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
51	BRS	S57	65	audio with (debug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
52	BRS	S44	3	(invalid near2 register) same secure	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
53	BRS	S34	237	712/43.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
54	BRS	S54	1	(secure near2 processor near2 mode) and (mark near2 invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
55	BRS	S59	63	audio with (debug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
56	BRS	S55	613	disable adj interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
57	BRS	S47	36	(secure near2 mode near2 flag) and $2valid	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
58	BRS	S40	2	stephen.in. and fischer.in. and secure and mode and flag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
59	BRS	S45	1	((secure or trusted) near2 processor near2 mode) and (mark near2 invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
60	BRS	S43	3	((secure or trusted) near2 processor near2 mode) and (register near2 invalid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
61	BRS	S38	9	secure.clm. with mode.clm. with flag.clm.	US-PGPUB
62	BRS	S41	40	secure.clm. and mode.clm. and flag.clm.	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
63	BRS	S62	4	blind near2 programmer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
64	BRS	S56	2649	disabl$3 adj interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
65	BRS	S46	28	((secure or trusted) near2 processor near2 mode) and (register near2 invalid$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
66	BRS	S35	75	712/39.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
67	BRS	S39	245	stephen.in. and fischer.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
68	BRS	S42	2	shamanna.in. and datta.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
69	BRS	S70	1519	712/231,233,234,43,227,229.ccls.	USPAT
70	BRS	S71	1920	712/231,233,234,43,227,229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
71	BRS	S72	9084	(enabl$3 or disabl$3) near2 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
72	BRS	S74	3586	(enabl$3 or disabl$3) adj interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
73	BRS	S76	13	((enabl$3 or disabl$3) adj interrupt) with (restart$3 or resum$3 or repeat$3) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
74	BRS	S75	77	((enabl$3 or disabl$3) adj interrupt) with (restart$3 or resum$3 or repeat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
75	BRS	S77	2	((disabl$3) adj interrupt) with (restart$3 or resum$3 or repeat$3) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
76	BRS	S78	2	((disabl$3) adj interrupt) with (restart$3 or resum$3 or repeat$3) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
77	BRS	S82	332	(restart$3 or resum$3 or repeat$3) near2 (following or subsequent or after) near2 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
78	BRS	S79	15	((disabl$3) adj interrupt) with (restart$3 or resum$3 or repeat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
79	BRS	S80	401	(restart$3 or resum$3 or repeat$3) with (following) with interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
80	BRS	S81	69	(restart$3 or resum$3 or repeat$3) near2 (following) near2 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
81	BRS	S83	2	"20040187117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
82	BRS	S84	1	"6976158".pn.	USPAT
83	BRS	S85	180	interrupt near2 lock	USPAT
84	BRS	S86	384	interrupt near2 lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
85	BRS	S89	2854	(diabl$3 or prevent$3 or prohibit$3) near2 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
86	BRS	S88	2	diabl$3 near2 interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
87	BRS	S87	1	diabl$3 near2 lock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
88	BRS	S90	889	(diabl$3 or prevent$3 or prohibit$3) adj interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
89	BRS	S91	354	((diabl$3 or prevent$3 or prohibit$3) adj interrupt) and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
90	BRS	S93	28	(updat$3 near2 stack) near2 ((don't or without) near2 updat$3 near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
91	BRS	S92	0	(updat$3 near2 stack) near2 ((don't) near2 updat$3 near2 pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB